











Product Name	Product Model	Product image	size (mm)	material	REMARK	Frequency
Multifunctional RF Receiver	HB-MFR		160x110x40	ABS	4 Wireless Zones (can enroll max. 32 wireless devices) 4 Outputs	433MHz
Engineering Host	HB-G250		260x238x75	Metal	1000 Wireless Zones&8 Wired Zones With wired keypad and software system	433MHz
Intelligent Host	HB-BJQ-560B		270x220x60	ABS	560 Wireless Zones&4 Wired Zones With phone module with GSM module	433MHz
Network Alarm Host	HB-2050G		103x110x49	ABS	98 Wireless Zones with GPRS module with GSM module	433MHz
Alarm Receiver	HB-4040S		163x146x16	ABS	98 Wireless Zones Standalone alarm only	433MHz
Alarm Receiver bell	HB-805A			ABS	wireless receiver. Plug-in alarm bell. 4 adjustable volume levels. 35 optional classic melodies	433MHz
Network Alarm Host	HB-5050R/4G		165x175x62	Metal	98 Wireless Zones with GPRS module with GSM module or TCP/IP	433MHz
Solar-powered wireless 2-beam infrared detector	HB-T001R2		170*110*57 mm	ABS	Detection distance 60m wireless transmission distance 800m	433MHz
Solar-Powered Wireless 3-beam Infrared Detector	HB-T001Q3+		340x84x45	ABS	Detection distance 100m wireless transmission distance 800m	433MHz
Solar-Powered Wireless 4-beam Infrared Detector	HB-T001Q4		590x84x45	ABS	Detection distance 100m wireless transmission distance 800m	433MHz

Solar-Powered Wireless 6-beam Infrared Detector	HB-T001Q6		840x84x45	ABS	Detection distance 100m wireless transmission distance 800m	433MHz
Solar-Powered Wireless 8-beam Infrared Detector	HB-T001Q8		1090×84×45	ABS	Detection distance 100m wireless transmission distance 800m	433MHz
solar Garden light & wireless 8-beam detector (double guard beams)	HB-T002-D8		1400×Φ320 (1 pair)	ABS	Detection distance 50m wireless transmission distance 800m	433MHz
Detector PIR outdoor pool orchard guard solar power wireless	HB-T705		solar panel: 187*157*12 mm Detector: 131*91*54mm	ABS	Detection distance 8-10m wireless transmission distance 800m	433MHz
Driveway Alarm Motion Sensor Solar wireless 1/4 Mile Long send	HB-T704		92mm*103mm	ABS	Detection distance 8-10m wireless transmission distance 800m	433MHz
Solar-Powered Wireless PIR detector	HB-T205		205×65×40	ABS	wireless transmission distance 500m	433MHz
Solar-Powered Wireless Curtain PIR Detector	HB-T201		115×80×50	ABS	wireless transmission distance 500m	433MHz
Wireless Magnetic Contact Battery power	HB-MC-1		79*36*21mm	ABS	wireless transmission distance 300m	433MHz
Wireless Magnetic Contact Solar Power	HB-MC-2		79×35×18	ABS	wireless transmission distance 300m	433MHz

photoelectric smoke alarm wireless fire alarm system	HB-T601		50×Φ150	ABS	wireless transmission distance 300m	433MHz
Wireless Combustible Gas Detector	HB-T501		99x153x46	ABS	wireless transmission distance 500m	433MHz
Water Detector	HB-L188		106×83×38	ABS	wireless transmission distance 500m	433MHz
Wireless Panic Button	HB-A380		59×59×23	ABS	wireless transmission distance 300m	433MHz
Solar-Powered Wireless Outdoor Strobe Siren	HB-JHD-3		280×180×70	ABS	32 Wireless Zones with 2 remote controller strobe light and Loud Speaker	433MHz
433MHz FM Singal to Switch-out Adapter	HB-ZJQ-3		160x100x45	ABS	8 Wireless Zones 8 Outputs	433MHz
433MHz FM Singal Transponder	HB-ZFQ		160x100x45	ABS	Wireless Signal Repeat distance 1KM can connect 50 pcs Detectors can set 4 level	433MHz
Wired to wireless alarm adapter	HB-ZHQ		65 *36 *19mm	ABS	N/O or N/C wired detector can be added to HB brand alarm receiver	433MHz
remote control	HB-YKQ-4		70×34×14			433MHz
Laser Calibrator	HB-JZQ		90x56x22	ABS	For Beams calibration	/